


GLIKE; Il'ya Vladimirovich, inzh.; ; DANDUKOV, M.I., prof., retsenzent;
YAKOBS, V.V., inzh., retsenzent; NEZLEPAYEVA, Z.A., inzh., red.;
USENKO, L.A., tekhn. red.

[Organization and economics of the construction of tunnels] Organizatsia i ekonomika stroitel'stva tonnelei. Moskva, Transzheldorizdat, 1962. 186 p.

(MIRA 15:7)

1. Chlen-korrespondent Akademii stroitel'stva i arkhitektury SSSR (for Dandurov).

(Tunneling)



1. (1744), . f.  2. (74)  1. (44)  2. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)  7. (44)	
9. Monthly List of Russian Accessions, Library of Congress, 1953. Unclassi	fied.

CORRUNOVA, Z.V., dotsent, kandidat meditsinskikh nauk; GLIKIH, M.I.,
(Sverdlovsk)

A combination of a patent ductus arteriosus Botalli with partial
coarctation of the aorta. Klin.med. 33 no.5:28-83 My '55.
(MEHA 3:9)


1. Iz fakul'tetskoy terapevticheskoy kliniki (zav.prof. B.P.
Kushelevskiy) Sverdlovskogo meditsinskogo institutu.
(CARDIOVASCULAR DEFECTS. CONGENITAL
patent ductus arteriosus with coarctation of aorta,
diag:)

```
GLIKIN, M.I., starshiy nauchnyy sotrudnik.

Cancer of the apex of the lung and Pancoast's syndrome, 7est. rent.
i rad, 33 no.6:71-73 N-0'58. (MIRA 12:1)

1. Iz rentgenologicheskogo otdeln (rukovoditel' -- kand. med. nauk
M. I. Glikin) Sverdlovskogo mauchno-issledovatel'skogo instituta
fizicheskikh metodov lecheniya i kurortologii Ministerstva zdravo-
okhraneniya RSFSR (dir. N.V. Orlova, nauchnyy rykovoditel' - prof.
D. G. Shefer).

(LUNG NEOPIASMS, case reports
primary, of apex & Pancoast's synd. (Rus))
```



GLIKIN, M.I.; IVANOVA, O.S.; DUBOSARSKAYA, M.M.; MAYSTROVAYA, L.A. (Sverdlovsk)

Immediate and remote results of X-irradiation of the tonsils and pharyngeal ring in chronic tonsillitis. Klin.med. 38 no.11:127-128 N 160. (MIRA 13:12)

1. Iz rentgenologicheskogo otdela (rukowoditel' -- kand.med.nauk M.I.Glikin) Sverdlovskogo instituta kurortologii i fizioterapii Ministerstva zdravookhranen'ya RSFSE (dir. -- kand.med.nauk N.V. Orlov).


(TONSILS—DISEASES) (I RAYS—THERAPEUTIC USE)

GLIKIN, Mikhail Isaakovich; BAKHMUTOVA, V., red.; ANTONIKK, I., tekhn.
red.

[Lung cancer] Hak legkogo. Sverdlovsk, Sverdlovskoe krizhnoe izdvo, 1961. 172 p.


(MIKA 15:6)

(LUNGS--CANCER)



PSCHENICHNYY, I.P.; SHTEYGARDT, Yu.H.; MESHCHERYAKOV, A.V.; VASIL'TEV, V.N.;
SOROLOVA, E.F.; EROVKOVICH, E.D.; EUBAHOVSKIY, B.R.; LUR'YE, R.G.;
PARAKHONYUK, Z.M.; GOROKHOVSKIY, B.I.; ZHDANOV, V.S.; GOREUNOVA, Z.V.
GLIKIN, M.I.; TAVAR'YAN, E.A.; SUKHODOLYA, Ye.I.

Abstracts. Kardiologila /, no.A287-90 Jl-%g ' 64. (MTRA 1911)



KOZHEVNIKOV, S.N.; PRAZDNIKOV, A.V.; IOFFE, A.M.; GLIKIN, M.P.

Stand for the testing and installation of a pilgrim mill feed mechanism. Metallurg 9 no.3:29-30 Mr 164. (MIRA 17:3)

1. Instituf chernoy metallurgii i zavod im. K.Libknekhta.

VATKIM, Ya.L., corollatores dender Guestinia E.V. A. a. Fendi, tadhiranangk. FAMCHADIR of the selection of the corollatore Salva, V.I., anah.

Rode one of the later of the corollatore of Green malling Grand of the corollatore of the corollat

SLIADE, E. H. and H. L. EMEAL.

Enathii sprayochnik mastera humaedmong tackha. 2. isar. iza.

Moskva, Gos. izd-vo mestnoi provyshi. MOPDR, 1983. 115 p. diagrs.

(Forge shop foreman's handbook.)

Did: This.isa 1788

So: Manufacturing and Mechanical Engineering in the Soviet Union,

Library of Congress, 1953.


GLIKIN, N. M. and M. L. RUDOL.

Spravochnik mastera metalloobrabatyvaiushchego tsekha. Pod red. M. E. Egorova. Moskva, Gos. izd-vo mestnoi promyshl. RSFSR, 1950. 366 p. (chiefly diagrs., tables)

Bibliography: P. 365-366.

DLC: TS210.G57

(Handbook for Foreman in metal-work shops.)




PERLIN. Il'ya L'vovich; GUBKIN, S.I., zosluzhennyy deyatel' nauki i tekhniki, professor, doktor, retsenzent [decessed]; KORMEYEV, N.I., professor, doktor, retsenzent; RURA, A.M., kandidat tekhnicheskik nauk, retsenzent; NIKONOV, I.Te., inzhener, retsenzent; GLIKIN, N.M., redaktor; EL'KIND, L.M., redaktor izdatel'stva; HERLOV, A.P., tekhnicheskiy redaktor

[Theory of drawing] Teoriia volocheniia. Moakve, Gos, nauchnotekhn.izd-vo lit-ry po chernoi i tavetnoi metallurgii, 1957. 424 p. (MLRA 10:8) (Drawing (Metalwork))

ARKHIPOV, Vladimir Vasil'yevich,; KASENKOV, Mikhail Aleksandrovich; LAHIN, Moisey Nissonovich, doktor tekhn.nauk, prof.; OSTROVSKIT, Takov Il'ich,; POGODINA-ALEKSEYEVA, Kseniya Markovna,; SOKOLOV, Nikolay Vasil'yevich,prof.; SHEVCHENKO, Gennadiy Dmitriyevich,; SHUKHOV, Yuriy Vladimirovich,; GLIKIN, N.M., dots.,red.; BRUSHTEYN, B.Ye., dots.,kand. tekhn. nauk, red.; UVAROVA, A.F., tekhn.red.; SOKOLOVA, T.F.,tekhn.red.

[Technology of metals]Tekhnologiia metallov. Moskva, Gos. nauchnotekhn. izd-vo mashinostroit. lit-ry, 1958. 767 p. (MIRA 11:12) (Metals)



RUSTEM, Somen Leopol'dovich, kend.tekhn.neuk; GARASHCHENKO, Aleksendr Petrovich [Hereshchenko, O.P.], kend.tekhn.neuk; CHEBUR-KOV,A.K., inzh. retsenzent; GLIKIN,N.M[Hlikin, N.M.], inzh., red.; SOROKA,M.S., red.

[Equipment, automation, and mechanistion in heat-treating departments] Obladnannia, avtomatyzatsiia i makhanizatsiia v termichnykh tsakhakh. Moskva, Derzannaukovo-takha. vyd-vo mas ynobudivnoi lit-ry, 1959. 371 p.

(HIRA 14:5)

(Automation) (Metals-Heat treatment)

BUTALOV, Vladicir Aleksandrovich; GLIKIB, N.M., red.; LEVIT, Te.I., red.12d-va; ISLENT'YEVA, P.d., tekhn.red.

[Technology of metals] Tekhnologiia metallov. Izd.2., ispr.
i dop. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi
i tsvetnoi metallurgii, 1959. 502 p. (MIRA 12:9)

(Metals)

BRYUKHANOV, Andrey Nikolayevich; LAKHTIN, Yuriy Mikhaylovich; MALNSHEV,
Anatoliy Ivanovich; NIKOLAXEV, Grigoriy Nikolayevich; SEUNALOV,
Yuliy Avramovich; RYBIN, V.V., inzh., retsenzent; GLIKIN, N.H.,
kand. tekhn. nauk, red.; RZHAVINSKIY, V.V., red. izd-va; MODEL',
B.I., tekhn. red.

[Technology of metals] Tekhnologiia metallov. Izd,2.,perer. i dop.
Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1959.

599 p.

(Metallurgy)

(Metallurgy)

GLIKIN, Noy Manuilovich; SCSNENKO, Mikhail Nikolayevich; KATSMAH, A.B., inzh., red.; CHERNYAK, O.V., red. izd-va; CHERNOVA, Z.I., tekhn. red.; UVAROVA, A.F., tekhn. red.

[Technology of hot metalworking] Tekhnologiia goriachei obrabotki metallov. Moskva, Gos. neuchne-tekhn. izd-vo mashinostroit. lit-ry, 1961. 280 p. (NIRA 14:6)

(Founding) (Forging)

KUZNETSOV, Vasiliy Ivanovich, doktor tekhn. nauk, prof.; CLIKIN, N.M., nauchnyy red.; SEREPRENNIKOVA, L.A., red.; PERSON, M.N., tekhn. red.

[Achievements in the field of technological progress in the U.S.S.R.] Dostizheniia v oblasti tekhnicheskogo progressa v SSSR.

Moskva, Vses. uchebno-pedagog. 1zd-vo Proftekhizdat, 1961. 303 p.

(MIRA 14:6)

(Technology)

HUSTEM, S.L., kand. tekhn. nauk; LAKHTIN, Yu.M., doktor tekhn. nauk, prof.; GLIKIN, N.M., dots., red.; IVAHOV, N.A., red. ind-va; SOKOLOVA, T.F., tekhn. red.

[Equipment and design of heat-treating plants] Oborudovanie i proektirovanie termicheskikh tsekhov. Moskva, Mashgiz, 1962.

588 p. (MIRA 15:7)


(Furnaces, Heat-treating)


(Motals—Heat treatment)

BOLKHOVITHEV, Nikolay Feodosiyevich, doktor tokha. nauk, prof.;
GLIEH, N.M., inzh., retsenzent; STEPANCHERKO, N.S., red.
1zd-va; DE.KINA, N.F., tekhan. red.

[Properties and use of sheet steel for die sta ping] Evoistva i
primemente listovoi stali dlia khelodnoi shtampovki. Koskva,
Mashgiz, 1962. 82 p. (EIRA 15:12)

(Sheet-metal work) (Sheet steel)






CLIKINA, E.L.; CHEKHLATYY, F.Kh., professor, direktor instituta.

Interspecific relationships of parasites of the small intestine of man (Ascaria and Hymenolepis). Med.paras.i paras.bol. no.4:343-346 Jl-Ag '53. (MLHA 6:9)


1. Kafedra biologii Kubanskogo meditsinakogo instituta. (Worms, Intestinal and parasitic)



GLIKINA, E.L., kand.biolog.nauk

Study of the developmental and survival rate of Ascario and Tricheris
trichtura eggs in the soil of Krasnodar. Gig. i san. 26 no.2:107109 F '61.

1. Iz kafedry biologii Kubanskogo meditsinskogo instituta.
(KRASHODA: --WOPMS, INTESTIGAL AND PARASITIC)



68122

Synthesis and Physicsochemical Investigation of the Spice of Complex Salicylate of Trivalent Management (Complex Solicylate of Trivalent Management)

the compound already decomposed at [c], the veter contact the determined according to A. G. Yellium (Ref. 5). The electrical conductivity (Table) was no numed according to L. M. Zaytasva. G. S. Bochkareva (Ref. 6) in mathyl alcohol. The compound is paramagnetic (determined by V. I. kelban). If was provible an alcoholic solution to constitute Agf for kH, and to obtain the compound Ag  $\sin(\mathrm{Sal}^2)_{\alpha}(\mathrm{H}_{\beta}0)_{\beta}$ , the regimes data of which agreeve. On the basic of the physicathe real investigation, the following structural formula is supported for the complex many none salicylate:

Card 2/3

There are 1 table and 7 references, 6 of which are Soviet.

Synthosis and Complex Salic	Physicochemical Investigation of toylate of Trivalent Manjanese	<b>68222</b> 
ASSOCIATION:	Mockovskiy gosedarstvennyy podaco sel V. P. Petankina (Moseov Stata Instat V. P. Potankin)	Leobiy anotitut am. ato if Pedegopako imeta
SUBUITTED:	October 4, 1958	


MAKAROV, S.Z.; GLIKINA, F.B.


Complex compounds of trivalent manganese with halogen derivatives of salicylic acid. Zhur. neorg. khim. 5 no.10:2229-2237 0 '60. (MIRA 13:10)


1. Moskovskiy gorodskoy pedagogicheskiy institut im. V.P.Potemkins. (Manganese compounds) (Salicylic acid)

GLIKINA, F. B., Cand Chem Sci -- "Complex compounds of manganese with salicylic acid and its halogen derivatives."

Mon, 1901. (KL, 8-61, 231)








ZAPUTRYAYEV, B.A.; VELITSKAYA, O.Ya.; OLIKINA, L.S.; KHALHTSKIY, A.M.


Improvement in the synthesis of methylbensylketons. Med.prcm. 14
no.1:48-51 Ja '60. (MIRA 13:5)


1. Leningradskiy khimiko-farmatsevticheskiy institut.

(PROPANONE)



Moment Focusing nation for You utation of Pireclar Non-continuous Shafts and Wheels," Novocherkassk, 1961, 15 pp. (Novocherkassk Folytech. Inst.) No. copies (KL Supp 19-41, 164).





AUTHOR: Glikins, M. S.

TITLE: Calculation of solid thin-walled beams with an angular axis by means of focal matrix ratios

CITED SOURCE: Dokl. 15 Nauchn. konferentsii Novocherk, politskin, in-ta, stroit. sekts., 1964. Novocherkassk, 1964, 18-19


TOPIC TAGS: solid beam, thin walled beam, focal matrix retio, beam displacement


TRANSLATION: The author analyzed a solid thin-walled beam with an angular axis, acted on by a load deflecting the beam out of the curvature plants and producing its torsional buckling. A system of single- or double-span beams is assumed as the basic system, depending on the type of support. Concepts of right and left focal matrix ratios are defined and the author derives recurrent formulas. It is pointed out that formulas facilitating the direct definition of included displacements were obtained for beams resting on knife-edge supports. A. V. Dyatlov


SUB CODE: MS, MA.


INCL.: UO


Card 1/1


















### "APPROVED FOR RELEASE: 09/24/2001

### CIA-RDP86-00513R000500030012-0











	30 7/30-38-9-24/31
Mulation Co	Arenhains, L. Ya., Charitate of b. 1. ical Sciences Thikina, M. V., Charitate of Biological Sciences, Louislay, V.V., Calbirdee of B. closy
TITLE:	News in weigh Threthige reshalone into Mcthodological Symposium on the Dr. time of Albania Metalica dip in distance into the care of Albania Metalica dip in distance in the care of Albania Metalica dip in distance in the care of the c
PERTODI NALT	We what was decided as as Sunday treed, January at the 400 to 100
1.81.81.0T:	The distribution place in Prestag (or all free late of the state of the parameter information of the restart to the distribution of the estate of the local of elberic reducts of the Restart very institut Cocknowlevely Association mask (Cherrical Libertate of the Chechoslevely Association Association, result, It was noted to the Chechoslevelia of the Daylet Union, result, Henstery, believing, the Unimage Peoplets Resultion. Profital work was employed and respects were delivers, in Russian with which employed the Raiminus Right Institute, and in the let the distribute and the latest the distribution of the control of control of the control of th





SAMSCHOV, G.V.; GLIKERA, M.V.; GUDKER, L.R.; MGROZOVA, A.E.

Catalytic transformations of polypeptides on ion exchange resins. Biokhimita 28 no.6:1036-1940 E-DV3 (MIRA 17:1)

1. Institute of High-Molecular Compounds, Available of Sciences of the U.S.S.R., Leningrad.

KRASIK, L.B., dotsent; KUZRETSOVA, N.K.; GLIKINA, R.I.; VORONOVA, A.H.;

KOCHESHXOVA, Z.V.

Organization and work of sections for premature infants in children's hospitals in the city of Moletov. Vop.okh.mat. i det. 1 no.6:60-64 N-D '56.

1. Iz kafedry pediatrii (ispolmyayushchiy obyazannonti zaveduyushchego dotsent L.B.Krasik) Moletovskogo meditainskogo instituts (dir. - prof. I.I.Konitsyn)

(MOLOTOV-INPANTS (PREMATURE))

GLIKLIKH M.O. and Taiklis M.I. PA - 2819 AUTHOR Videography. (Videozapis'. - Russian) TITLE PERIODICAL Radiotekhnika 1957, Vol 12, Nr 3, pp 10 - 17 (U.S.S.R.) Reviewed: 6/1957 Received: 5/1957 Even if the most promising kind of videography is the magnetic ABSTRACT one in the author's opinion, the elaboration and further development of photographic methods described on the present paper are recommended. This method are: 1.) The system with uniform motion of the film and a electrooptical compensation for the non-uniformity of the film motion. 2.) The system using the postluminescence of the valve. 3.) The system with two image windows. In the description of the first systems it is pointed out that an essential disadvantage is the impossibility of making use of the postluminescence of the valve. Besides, the shrinkage of the film must be taken into account. For this pupose a correction by means of an automatic electron-optical compensation is carried out for the modification of perforation. In spite of some complications in the carrying out of these corrections, production and adjustment of the optical compensator is facilitated. In the second system a tele-CARD 1/2

CIA-RDP86-00513R000500030012-0

Videography.

PA - 2819

vision screen with a longer time for postluminescence than for transmission of the television field is used. The necessity of correction is the weak point of this system, because the already limited contrast range of the writing valve is even more diminished. With the third system there are three possibilities:

- 1.) With two valves from the screens of which projection is directed to two image windows.
- 2.) Splitting up the beam of light be meyns of a cube with a semitransparent diagonal.
- 3.) Switching of the light current by means of a mirror shutter. The disadvantage of this system is that the motion-picture part of the apparatus becomes more complicated.
  (8 illustrations.)

ASSOCIATION: not given.

PRESENTED BY: -

SUBMITTED: 12, 10, 1956.

AVAILABLE: Library of Congress,

CARD 2/2

AUTHORS: Gliklikh, M.O., Tsiklis, E.I.

Sov/106-52-2-8/16

TITLE:

One Method for the Forced Synchronisation of Phototelegraph Instruments (Ob odnom sposobe printditel'noy

sinkhronizatsii fotdelegrafnykh apparatov)

PERIODICAL: Elektrosvyaz', 1958, Nr 2, pp 59 - 64 (USSR).

ABSTRACT: The essential block-diagram of the receiving apparatus is shown in Figure 1. In Block 1, the line synchronising pulses are separated out and formed. Block 3 is a pick-off which derives pulses from the rotation of the synchronous motor 6. These pulses are compared in phase with those from 1, amplified in 4 and applied to the dynamic brake 5 which opposes the rotation of 6. In the absence of braking, the latter's speed is slightly greater than nominal. Figure 2 shows the torque-slip characteristic of the asynchronous motor. Eq.(8) is the dynamic torque equation including the effects of dry and viscous friction. Figure 4 shows how the sulse from Block 1 establishes a voltage across the capacitance in the cathodecircuit of L1 and the

pickoff on the asynchronous motor transfers this charge to

Card 1/2

507/106-58-2-8/16

One Method for the Forced Synchronisation of Photo-telegraph Instruments

another capacitance feeding the grid of the valve which controls the brake. Eq.(13) may be used to calculate the power required by the motor for a given change in frequency. There are 4 figures.

SUBMITTED: October 12, 1956

Card 2/2 1. Facsimile communications systems--Synchronization 2 Synchros

--Periormance


	GLIKLIKH M.	$\wedge$		13 Delpton 1944   14			
	The state of the s	Control of the last of the last		16 MT**		j	
	•		1				
	A A Foponima		10 ense			į	
	Anting cities awninggar	l reaction	(c 10 ao 16 vacos)				
	9 kg	)##	C B (1915et				
	(c.10.go.)	IZ vrcom)	B H Crentors				
	B M Sprung O B Santon Vessa		Вличне шушка на разрешаннара смеквиость а ве щатальном станиалими				产業所
1	fenepatry минуация уч	ta edesdarponud compr	R II Assesse				
	B ff Biggroung		Опрезиясыне представленый разрошающий списовинета перезиясы тельянаных срубом пу дары в эчелия имертуулогий карамгеристика	1		i	
	V) f. Rigorman, Я В Афанисьеве		M   Maperous				
	Birthian service it makes	na karatporan Aparaus ter	H M Uprorpero			i	
	Sie urtraben berapuben	- 5 мев грофегт герафия	Четырогозноваме нагнятные доны, две толева можных трубки				
	A A famera. A A feparra		M O factors.			ļ	
	Нова съгля теления	Ppieriikia a estenisaiaca	M. H. Harrier, B. C. Kadobon, B. H. Moposomust				
1	3 A. Arma. A. A. Mantana.		Knompous samenterosses neassannias incompromoss- en ipasta an opesio policity incoverna.				
l i	B. ft. Mepdanus		10 emre				
	riese istrocomounes cusp	sambamba UIII a urshubbarsaared a	(† 18 an 22 sacres)			İ	
1	<b>≱</b> r		11				
	report submitted for t	m Contemial Meeting of	the Briesiffs Tuckenlogical Society of	•			
	Pedio Engineering and	Blockrical Communicati	ions in. A. S. Popov (YMCRIX), Moscow,				
	8-12 June. 1959						
	0-14 Camp - 1 - 7						
1						1	
1				:		1	
				;	``	•	
						1	
				,		1	
[ '							,
1							
			الدوار والمراوي والمراوي المراوي والمراوي	در دین ورس و		سدور سيس الكال	
						7.	4 11 15

GLIKLIKH, M.O. (Odessa); KRISILOV, A.D., (Odessa); PUDDUENYY, G.V. (Odessa)

Study of sign regognition reliability using statistical data analysis. Avtom. i telem. 24 no.8:1090-1099 Ag '63.


(MIRA 16:8)


(Automatic control) (Perceptrons)



## "APPROVED FOR RELEASE: 09/24/2001

### CIA-RDP86-00513R000500030012-0





AUTHOR:

Glikman, B. F.

57-12-18/19

TITLE:

On the Problem of Unsteady Heat Conduction Through

a Plate (K zadache o nestatsionarnoy teploperedache cherez

plastinu).

PERIODICAL:

Zhurnal Tekhnicheskoy Fiziko, 1957, Vol. 27, Nr 12,

pp. 2794-2796 (USSR)

ABSTRACT:

The equation of heat conduction is written down  $\frac{\partial t}{\partial \tau} = a \frac{\partial}{\partial \tau}^2 t$ 

This equation is most advantageously solved in the case of the most general unsymmetric boundary conditions of the third kind (heat exchange between the surface of the plate and the medium according to the equation of convection). The solution is obtained according to an operational method (reference 1). Then the theorem of the decomposition of the operational computation is applied and the final solution is found in the form of a series (equation 5). The first three roots of this equation were found by successive approximation and are compiled in a table. If the "bio-number"

Bi = Bi = 00 are introduced in (5) the solution of the problem is obtained for unsymmetric boundary conditions of the first kind, that is with given values of temperature at

Card 1/2

On the Problem of Unsteady Heat Conduction Through a Plate

57-12-18/19

the plate surfaces. With the help of the solution of equation (5) the equation for the specific flow of heat through both plate surface may also be obtained. The relative

deviation from a steady operation on one of the plate surfaces, being the one, towards which the heat is dissipating, may be employed as a criterion for the

stabilization of the steady operation.

There are 1 table, and 1 reference, 1 of which is Slavic.

SUBMITTED:

June 14, 1957

AVAILABLE:

Library of Congress

Card 2/2

#### "APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000500030012-0

....1/24-579-1-4/35

AUTHOR:

Glikman, B.F., (Moscow)

TITLE:

An Experimental Investigation of the Condensation of a Otean Jet in a Space Filled with Water (Eksperimental'-

noye issledovaniya kondensatsii strui para v

prostranstve, zapolnemom zhidkost yu)

PERIODICAL: Izvestiya Akademii Hauk 856R Otd Jonlys Tekhnicheskikh Hauk, Shergetika i Avtomatika, 1959, Hr 1, pp 39-44 (UESR)

ABSTRACT:

In the experimental arrangement, steam enters a plexiglas tank, filled with water, through a nozzle and condenses in the bank. Arrangements are made for maintaining the main coly of the water at rest and for limiting the overall temperature rise the velocity head  $\Delta$  if and temperature at different radii and at different distances from the end of the nozzle are measured. The steam condenses in the vicinity of the end of the nozzle and forms a liquid jet as shown in Fig 1. There is an initial contraction of the jet, followed by expansion. Verceity and temperature

measurements in the jet at different distances from the

Card 1/3 nozzle are shown in Fig 2, while Fig 3 shows the velocity

An Experimental Investigation of the Condensation of a Steam Jet in a Space Filled with Water

head measurements. In the core of the jet the velocity head is constant but surface condensation gives a sharp increase in Ali with a maximum value at about 1/3 the boundary layer thickness. The maximum value of AH in the boundary layer is measured close to the nozzle. All on the axis of the jet decreases as one naves away from the nozzle and increases with increase of stema pressure. Fig 5 shows isotherms drawn for the jet together with lines of equal velocity head. The isotherms show how the temperature of the steam core falls and the maximum value of the velocity head. There is some effect of air interfering with the two-phase flow and it is probable that the measurements of valves of the velocity head are in error. If the results are plotted in dimensionless form Fig & shows the change in velocity head, all the experimental counts appear to lie on curve 1, which differs from the theoretical curve 2 for an incompressible fluid. In the initial region  $\Delta H=1/2~L\rm H_m$  , where  $\Delta H_m$  is the maximum velocity head. Fig ? shows the dimensionless velocity head in the

Card 2/3

347/24-59-1-1/31

An Experimental Investigation of the Condensation of a Steam Jet in a Space Filled with Water

with theory is difficult due to the two-phase flow. Emers is a general similarity in relacity head distribution between theory and experiment has other factors enter the calculations mushly the parameter governing the surviture of the jet the intensity of turbulence in the total any layer and the effective value of the relative density. The mean effective density is 12 times less than the density of the surrounding liquid and the coefficient of the structure of the jet 5-6 times more than in the case of a normal jet. These values indicate intense turbulence is the stracture of which 4 are Soviet and 1 German.

SUBMITTED: 24th August 1957

Card 3/3

SOV/24-59-2-21/30

AUTHOR: Glikman, B. F. (Moscow)


TITLE: Gas Jets in a Liquid (O struye gaza v zhidkosti)


PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye teknnicheskikh nauk, Energetika i avtomatika, 1959, Nr 2, pp 135-136 (USSR)


ABSTRACT: The paper is a continuation of previous work (Ref 1). Photographs showing the form of gas jets in water at pressures of 1.036, 1.05 and 1.6 atmospheres are reproduced, together with curves for distribution of velocity head along the axis of the jet. The curves agree well with theory, but in the case of jet width, the agreement between observation and theory is not so close. Thanks are expressed to G. K. Abramovich for interest in the work, and to V. 3. Tarasov. V. Biryukov, L. Vorob'yev and L. Larin for assistance with the experiments. There are 4 figures and 4 Soviet references.

SUBMITTED: December 23, 1993.


Card 1/1







PA = 2402 GLIKMAN, E.S., and StandEnt Char see On the Application of Course bear bearing attack to the anting of AUTHOR: Labour Productivity (Go is of Zorent) persystems a efficientov TITLE: dlya ucheta proizvodite, 'mosti trice, diasian, er in the Book Stalt : 1957 | Vol 17 | Mr 4 : Mr 17 forwarmed: 3 / 1967 PERIODICAL: Received: 5 / 1997 Reference is made to the articles by 1.1 LATE States for the a and the suggestion that the production of works to expressed at toms, ABSTRACT: taking into account the operation efficiency to considered to be correct. The use of the coefficients proposed by KAPS which are determined by the volume of labor is possible only in few labers. The conversion coefficients indicate only by how much the production of one unit in one line of production surpannes that of another The labor volume who depends on whether one has of several persons one unit of machinety or negatial are engaged in processing These conditions may sharp the entire struction Hor is it possible to start from the wage tardf, from works ... he not pla on or from operational planning. It is therefore any ested that the corversion coefficients be calculated according to the metus. A negations in the different lines of production, and the morning prescriptions according to the technical apecifications of the basic line of production together wiff the conversion ocefft sents of tables and 2 citations of Slar publications). Card 1/2



GLIKMAN, E.S., dots., kand.tekhn.mauk; BRITVIN, I.A., inzh.

Establishing norms of blast furnaco performance. Izv.vys.
ucheb.zav.; chern.met. 2 no.6:171-177 Ag '59.

(MIRA 13:4)

1. Dnepropetrovskiy metallurgicheskiy institut. Rekomendevano
kafedroy organizatsii i planirovaniya proizvodstva Dnepropetrovskogo metallurgicheskogo instituta.

(Blast furnaces)

HEDV.DLV, I.A., dotsont, Mand.teldm.n.cm/; SLFTAM, E.S., Motsont, Mand.tekan.


"Organization of Phythmic op Entitions in metallumgical" by L.M. Liberman.


Reviewed by I.A.Modvedev. Stal' 20 no.6:560-561 fe '60.

(MI.A 14:2)

(Motallumgical plants)

(Industrial management)





MEDVEDEV, I.A.; GLIEMAN, E.S.; BEL'GOL'SKI?, B.P.; VOLKOVA, Ye.N.;
STARODUBSKIY, D.F.; LIKHAGEP, Ye.N.

Methods of determining the effect of the volume of output on the magnitude of general plant expenditures and metallurgical plant production costs. Izv. vys. ucheb. zav.; chern. net. 6 no.6: 209-213 '63.

1. Dnepropetrovskiy metallurgicheskiy institut.

(Iron industry) (Steel industry)


MEDVEDEV, I.A.; BEL'GOL'SKIY, B.P.; GLIKMAN, E.S.; SPASOV, A.A.;

TOLSTOPYAT, A.A.

Methods of dividing production expenditures into constant and fluctuating ones. Stal' 23 no.8:748-752 Ag '63. (MIRA 16:9)

1. Dnepropetrovskiy metallurgicheskiy institut i Pridneprovskiy sovet narodnogo khozyaystva.

(Metallurgy--Costs)






MEDVEDEV, I.A.; GLIENAN, E.S.

[Collection of probless on organization and planning in metallurgy] Sbornik zadach po organizatsii i planirovaniu metallurgicheskogo proizvodstva. Foskva, Fetallurgiin, 1965. 175 p.

(MIRA 18:7)




- 1. ASHKINAZI, M.S.; GLIKMAN, G.S.; DAYN, B.YA.
- 2. USSR (600)
- 4. Chlorophyll
- 7. Nature of the interaction of chlorophyll with iron salts, M.S. Ashkinani, G.S. Glikman, B. IA. Dayn, Ukr.khim.zhur. 18 no. 1, 1952.

9. Monthly List of Russian Accessions, Library of Congress, AFEIL 1953, Uncl.

VLAZNEV, Yevgeniy Ivanovich; PODGORNOV, Sergey Vasil'yevich; CHERNYSHEV, Valeriy Mikhaylovich; SHALASHOV, Petr Gavrilovich; GLIKMAN, G.S., inzh., retsenzent; BOGOMOLOVA, M.F., red.ind-va; PUKHLIKOVA, N.A., tekhn. red.

[Standardized machine-tool attachments] Normalizovannye stanochnye prisposobleniia; spravochnik konstruktora. Izd.2. perer. i dop. Moskva, Oborongiz, 1963. 504 p. (MIRA 16:4) (Machine tools--Attachments)



S/032/62/028/004/013/026 B105/B101

AUTHORS:

Glikman, L. A., and Bershteyn, V. A.

TITLE:

Examinations of the long service life and creep during pure

bending of glass plastics

PERIODICAL: Zavodskaya laboratoriya, v. 28, no. 4, 1962, 474 - 480

TEXT: Bending tests were conducted to study differences in the behavior of glass reinforced plastics subjected to load, which were caused by various structural and design factors, and also by aggressive media and elevated temperatures (30 - 30°C). Pure bending tests are recommended for glass reinforced plastics. Extrapolation for 100.000 hrs was conducted on the basis of 1000 hr-tests owing to the linear dependences of  $\sigma$  on log  $\tau$ , and log  $f_{red}$  on log  $\tau$ , respectively.  $f_{red} = (f_{total} - f_0)h/6$  is the reduced deflection, with  $f_0$  being the initial deflection after 20 - 40 sec and h being the thickness. The correctness of extrapolation still requires experimental checking. Correlation equations are given for the flexing life of glass reinforced plastics; satin glass fabric 8/5 with lubricant Card 1/2

S/032/62/028/004/013/026
Examinations of the long service... B105/B101

(ACTT(E)- $C_2$ ) (ACTT(E)- $S_2$ ) fabric) + EH-1 (PN-1) resin (polymaleic ester) in air : E 10g E = 6.7 - 0.29 g (kg/mm²); ditto in sea water: E 10g E = 5.71 - 0.43 g; 8/3 fabric prepared with 5% EBC-9 (GVS-9) organosition composition + PN-1 resin in air: E 10g E = 9.37 - 0.26 g; in sea water: E 10g E = 8.23 - 0.28 g. 8/3 fabric with GVS-9 and E 1-3 (FN-3) resin (polymaleic ester) in air: E 10g E = 9.94 - 0.32 g; in sea water: E 10g E = 9.34 - 0.36 g. 8/3 fabric with GVS-9 and binder 911 (polyacrylic ester) in air: E 10g E = 14.55 - 0.46 g; in sea water: E 10g E = 7.36 - 0.31 g. Creep tests proved glass reinforced polyester resins to be anisotropic; E 1 was 15 times larger in tests at an angle of 45°. There are 6 figures and 1 table.

Card 2/2

